

METHOD FOR PREPARING SUBMICRON PARTICLE SUSPENSIONS

DESCRIPTION

CROSS-REFERENCE TO RELATED APPLICATION:

This application is a continuation in part of application serial No. 09/953,979 filed September 17, 2001 which is a continuation in part of application No. 09/874,637 filed on June 5, 2001, which claims priority from provisional application serial number 60/258,160 filed December 22, 2000, and further is a continuation in part of application serial No. 10/035,821 filed on October 19, 2001, all of the above-mentioned applications which are incorporated herein by reference and made a part hereof.

FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT:

Not Applicable.

10 BACKGROUND OF THE INVENTION:

Technical Field

The present invention relates to the preparation of a pharmaceutically active compound. More particularly the invention relates to the manufacture of nanosuspensions of the pharmaceutically active compound for parenteral or oral delivery.

15 Background Art

There is an ever increasing number of pharmaceutical drugs being formulated that are poorly soluble or insoluble in aqueous solutions. Such drugs provide challenges to delivering them in an injectable form such as through parenteral administration. Drugs that are insoluble in water can have significant benefits when formulated as a stable suspension of sub-micron particles. Accurate control of particle size is essential for safe and efficacious use of these formulations. Particles must be less than seven microns in diameter to safely pass through capillaries without causing emboli (Allen et al., 1987; Davis and Taube, 1978; Schroeder et al., 1978; Yokel et al., 1981).

One approach to delivering an insoluble drug is disclosed in United States Patent No. 2,745,785. This patent discloses a method for preparing crystals of penicillin G suitable for parenteral administration. The method includes the step of recrystallizing the penicillin G from a formamide solution by adding water to reduce the solubility of the penicillin G. The '785 Patent further provides that the penicillin G particles can be coated with wetting agents

such as lecithin, or emulsifiers, surface-active and defoaming agents, or partial higher fatty acid esters of sorbitan or polyoxyalkylene derivatives thereof, or aryl alkyl polyether alcohols or salts thereof. The '785 patent further discloses micronizing the penicillin G with an air blast under pressure to form crystals ranging from about 5 to 20 microns.

5 Another approach is disclosed in United States Patent No. 5,118,528 which discloses a process for preparing nanoparticles. The process includes the steps of: (1) preparing a liquid phase of a substance in a solvent or a mixture of solvents to which may be added one or more surfactants, (2) preparing a second liquid phase of a non-solvent or a mixture of non-solvents, the non-solvent is miscible with the solvent or mixture of solvents for the substance,
10 (3) adding together the solutions of (1) and (2) with stirring; and (4) removing of unwanted solvents to produce a colloidal suspension of nanoparticles. The '528 Patent discloses that it produces particles of the substance smaller than 500 nm without the supply of energy. In particular the '528 Patent states that it is undesirable to use high energy equipment such as sonicators and homogenizers.

15 United States Patent No. 4,826,689 discloses a method for making uniformly sized particles from water-insoluble drugs or other organic compounds. First, a suitable solid organic compound is dissolved in an organic solvent, and the solution can be diluted with a non-solvent. Then, an aqueous precipitating liquid is infused, precipitating non-aggregated particles with substantially uniform mean diameter. The particles are then separated from the
20 organic solvent. Depending on the organic compound and the desired particle size, the parameters of temperature, ratio of non-solvent to organic solvent, infusion rate, stir rate, and volume can be varied according to the invention. The '689 Patent discloses this process forms a drug in a metastable state which is thermodynamically unstable and which eventually converts to a more stable crystalline state. The '689 Patent discloses trapping the drug in a
25 metastable state in which the free energy lies between that of the starting drug solution and the stable crystalline form. The '689 Patent discloses utilizing crystallization inhibitors (e.g., polyvinylpyrrolidinone) and surface-active agents (e.g., poly(oxyethylene)-co-oxypropylene) to render the precipitate stable enough to be isolated by centrifugation, membrane filtration or reverse osmosis.

30 United States Patent Nos. 5,091,188; 5,091,187 and 4,725,442 disclose (a) either coating small drug particles with natural or synthetic phospholipids or (b) dissolving the drug in a suitable lipophilic carrier and forming an emulsion stabilized with natural or semisynthetic phospholipids. One of the disadvantages of these approaches is they rely on

the quality of the raw material of the drug and do not disclose steps of changing the morphology of the raw material to render the material in a friable, more easily processed form.

Another approach to providing insoluble drugs for parenteral delivery is disclosed in
 5 United States Patent No. 5,145,684. The '684 Patent discloses the wet milling of an insoluble drug in the presence of a surface modifier to provide a drug particle having an average effective particle size of less than 400 nm. The '684 Patent emphasizes the desirability of not using any solvents in its process. The '684 Patent discloses the surface modifier is adsorbed on the surface of the drug particle in an amount sufficient to prevent
 10 agglomeration into larger particles.

Yet another attempt to provide insoluble drugs for parenteral delivery is disclosed in United States Patent No. 5,922,355. The '355 Patent discloses providing submicron sized particles of insoluble drugs using a combination of surface modifiers and a phospholipid followed by particle size reduction using techniques such as sonication, homogenization,
 15 milling, microfluidization, precipitation or recrystallization. There is no disclosure in the '355 Patent of changing process conditions to make crystals in a more friable form.

United States Patent No. 5,780,062 discloses a method of preparing small particles of insoluble drugs by (1) dissolving the drug in a water-miscible first solvent, (2) preparing a second solution of a polymer and an amphiphile in an aqueous second solvent in which the
 20 drug is substantially insoluble whereby a polymer/amphiphile complex is formed and (3) mixing the solutions from the first and second steps to precipitate an aggregate of the drug and polymer/amphiphile complex.

United States Patent No. 5,858,410 discloses a pharmaceutical nanosuspension suitable for parenteral administration. The '410 patent discloses subjecting at least one solid
 25 therapeutically active compound dispersed in a solvent to high pressure homogenization in a piston-gap homogenizer to form particles having an average diameter, determined by photon correlation spectroscopy (PCS) of 10 nm to 1000 nm, the proportion of particles larger than 5µm in the total population being less than 0.1% (number distribution determined with a Coulter counter), without prior conversion into a melt, wherein the active compound is solid
 30 at room temperature and is insoluble, only sparingly soluble or moderately soluble in water, aqueous media and/or organic solvents. The Examples in the '410 Patent disclose jet milling prior to homogenization.

United States Patent No. 4,997,454 discloses a method for making uniformly sized particles from solid compounds. The method of the '454 Patent includes the steps of dissolving the solid compound in a suitable solvent followed by infusing precipitating liquid thereby precipitating non-aggregated particles with substantially uniform mean diameter. The particles are then separated from the solvent. The '454 Patent discourages forming particles in a crystalline state because during the precipitating procedure the crystal can dissolve and recrystallize thereby broadening the particle size distribution range. The '454 Patent encourages during the precipitating procedure to trap the particles in a metastable particle state.

United States Patent No. 5,605,785 discloses a process for forming nanoamorphous dispersions of photographically useful compounds. The process of forming nanoamorphous dispersions include any known process of emulsification that produces a disperse phase having amorphous particulates.

SUMMARY OF THE INVENTION:

The present invention provides a method for preparing submicron sized particles of an organic compound, the solubility of which is greater in a water-miscible first solvent than in a second solvent which is aqueous. The process includes the steps of: (i) dissolving the organic compound in the water-miscible first solvent to form a solution, the first solvent being selected from the group consisting of N-methyl-2-pyrrolidinone, 2-pyrrolidone, dimethyl sulfoxide, dimethylacetamide, lactic acid, methanol, ethanol, isopropanol, 3-pentanol, n-propanol, glycerol, butylene glycol, ethylene glycol, propylene glycol, mono- and diacylated monoglycerides, dimethyl isosorbide, acetone, dimethylformamide, 1,4-dioxane, polyethylene glycol, polyethylene glycol esters, polyethylene glycol sorbitans, polyethylene glycol monoalkyl ethers, polypropylene glycol, polypropylene alginate, PPG-10 butanediol, PPG-10 methyl glucose ether, PPG-20 methyl glucose ether, PPG-15 stearyl ether, propylene glycol dicaprylate, propylene glycol dicaprinate, propylene glycol laurate; (ii) mixing the solution with the second solvent to define a pre-suspension; and (iii) adding energy to the pre-suspension to form particles having an average effective particle size of less than about 2 μm .

A method for preparing submicron sized particles of an organic compound, the solubility of which is greater in a water-miscible first solvent than in a second solvent which is aqueous, the process comprising the steps of: (i) dissolving the organic compound in the

water-miscible first solvent to form a solution, the first solvent being selected from the group consisting of N-methyl-2-pyrrolidinone, 2-pyrrolidone, dimethyl sulfoxide, dimethylacetamide, lactic acid, methanol, ethanol, isopropanol, 3-pentanol, n-propanol, glycerol, butylene glycol, ethylene glycol, propylene glycol, mono- and diacylated monoglycerides, dimethyl isosorbide, acetone, dimethylformamide, 1,4-dioxane, ethyl acetate, propyl acetate, polyethylene glycol, polyethylene glycol esters, polyethylene glycol sorbitans, polyethylene glycol monoalkyl ethers, polypropylene glycol, polypropylene alginate, PPG-10 butanediol, PPG-10 methyl glucose ether, PPG-20 methyl glucose ether, PPG-15 stearyl ether, propylene glycol dicaprylate, propylene glycol dicaprate, propylene glycol laurate; (ii) mixing the solution with the second solvent to define a pre-suspension wherein the organic compound is in an amorphous form, a semicrystalline form or in a supercooled liquid form as determined by DSC and having an average effective particle size; and (iii) annealing the pre-suspension to form particles having essentially the same average effective particle size of the pre-suspension and in a more stable form.

The present invention further provides a method for preparing submicron sized particles of an organic compound, the solubility of which is greater in a water-miscible first solvent than in a second solvent which is aqueous. The process includes the steps of: (i) dissolving the organic compound in the water-miscible first solvent to form a solution, the first solvent being selected from the group consisting of N-methyl-2-pyrrolidinone, 2-pyrrolidone, dimethyl sulfoxide, dimethylacetamide, lactic acid, methanol, ethanol, isopropanol, 3-pentanol, n-propanol, glycerol, butylene glycol, ethylene glycol, propylene glycol, mono- and diacylated monoglycerides, dimethyl isosorbide, acetone, dimethylformamide, 1,4-dioxane, polyethylene glycol, polyethylene glycol esters, polyethylene glycol sorbitans, polyethylene glycol monoalkyl ethers, polypropylene glycol, polypropylene alginate, PPG-10 butanediol, PPG-10 methyl glucose ether, PPG-20 methyl glucose ether, PPG-15 stearyl ether, propylene glycol dicaprylate, propylene glycol dicaprate, propylene glycol laurate; (ii) mixing the solution with the second solvent to define a pre-suspension of particles in a friable form; and (iii) adding energy to the pre-suspension to form particles having an average effective particle size of less than about 2 μm .

The present invention also provides a method for preparing a suspension of a pharmaceutically-active compound, the solubility of which is greater in a water-miscible first organic solvent than in a second solvent which is aqueous. The process includes the steps of: (i) dissolving a first quantity of the pharmaceutically-active compound in the water-miscible

first organic solvent to form a first solution; (ii) mixing the first solution with the second solvent to precipitate the pharmaceutically-active compound; and (iii) seeding the first solution or the second solvent or the pre-suspension. The method further includes the step of forming a desired polymorph of the pharmaceutically active compound. In a preferred form of the invention the step of seeding includes the step of adding a seed compound to the first solution, to the second solvent and/or to the pre-suspension.

The present invention further provides a method for preparing a suspension of a pharmaceutically-active compound, the solubility of which is greater in a water-miscible first organic solvent than in a second solvent which is aqueous. The method includes the steps of: (i) adding a quantity of the pharmaceutically-active compound to the first organic solvent to create a supersaturated solution, (ii) aging the supersaturated solution to form detectable crystals to create a seeding mixture; and (iii) mixing the seeding mixture with the second solvent to precipitate the pharmaceutically-active compound to create a pre-suspension.

These and other aspects and attributes of the present invention will be discussed with reference to the following drawings and accompanying specification.

BRIEF DESCRIPTION OF THE DRAWINGS:

Figure 1 shows a diagrammatic representation of one method of the present invention;

Figure 2 show a diagrammatic representation of another method of the present invention;

Figure 3 shows amorphous particles prior to homogenization;

Figure 4 shows particles after annealing by homogenization;

Figure 5 is an X-Ray diffractogram of microprecipitated itraconazole with polyethylene glycol-660 12-hydroxystearate before and after homogenization;

Figure 6 shows Carbamazepine crystals before homogenization;

Figure 7 shows Carbamazepine microparticulate after homogenization (Avestin C-50);

Figure 8 is a diagram of illustrating the Microprecipitation Process for Prednisolone;

Figure 9 is a photomicrograph of prednisolone suspension before homogenization;

Figure 10 is a photomicrograph of prednisolone suspension after homogenization;

Figure 11 illustrates a comparison of size distributions of nanosuspensions (this invention) and commercial fat emulsion;

Figure 12 shows the X-ray powder diffraction patterns for raw material itraconazole (top) and SMP-2-PRE (bottom). The raw material pattern has been shifted upward for clarity;

Figure 13a shows the DSC trace for raw material itraconazole;

5 Figure 13b shows the DSC trace for SMP-2-PRE;

Figure 14 illustrates the DSC trace for SMP-2-PRE showing the melt of the less stable polymorph upon heating to 160°C, a recrystallization event upon cooling, and the subsequent melting of the more stable polymorph upon reheating to 180°C;

Figure 15 illustrates a comparison of SMP-2-PRE samples after homogenization. Solid line = sample seeded with raw material itraconazole. Dashed line = unseeded sample. The solid line has been shifted by 1 W/g for clarity;

Figure 16 illustrates the effect of seeding during precipitation. Dashed line = unseeded sample, solid line = sample seeded with raw material itraconazole. The unseeded trace (dashed line) has been shifted upward by 1.5 W/g for clarity; and

15 Figure 17 illustrates the effect of seeding the drug concentrate through aging. Top x-ray diffraction pattern is for crystals prepared from fresh drug concentrate, and is consistent with the stable polymorph (see Figure 12, top). Bottom pattern is for crystals prepared from aged (seeded) drug concentrate, and is consistent with the metastable polymorph (see Figure 12, bottom). The top pattern has been shifted upward for clarity.

20 DETAILED DESCRIPTION OF THE INVENTION:

The present invention is susceptible of embodiments in many different forms. Preferred embodiments of the invention are disclosed with the understanding that the present disclosure is to be considered as exemplifications of the principles of the invention and are not intended to limit the broad aspects of the invention to the embodiments illustrated.

25 The present invention provides methods or processes for forming particles of an organic compound having an average effective particle size suitable for parenteral administration and, in a most preferred form of the invention, is less than about 2µm. The present invention is also suitable for providing particles of the organic compound in a form suitable for oral administration. Particles sizes for oral dosage forms can be in excess of 2µm and typically less than about 7µm. However, the particles can exceed 7µm provided that the particles have sufficient bioavailability and other characteristics of an oral dosage form. Oral

dosage forms include tablets, capsules, caplets, soft and hard gel capsules, or other delivery vehicle for delivering a drug by oral administration.

The processes can be separated into three general categories. Each of the categories of processes share the steps of: (1) dissolving an organic compound in a water miscible first organic solvent to create a first solution, (2) mixing the first solution with a second solvent of water to precipitate the organic compound to create a pre-suspension, and (3) adding energy to the pre-suspension in the form of high-shear mixing or heat to provide a stable form of the organic compound having the desired size ranges defined above.

The three categories of processes are distinguished based upon the physical properties of the organic compound as determined through x-ray diffraction studies, differential scanning calorimetry (DSC) studies or other suitable study conducted prior to the energy-addition step and after the energy-addition step. In the first process category, prior to the energy-addition step the organic compound in the pre-suspension takes an amorphous form, a semi-crystalline form or a supercooled liquid form and has an average effective particle size. After the energy-addition step the organic compound is in a crystalline form having an average effective particle size essentially the same as that of the pre-suspension (i.e., from less than about 2 μ m).

In the second process category, prior to the energy-addition step the organic compound is in a crystalline form and has an average effective particle size. After the energy-addition step the organic compound is in a crystalline form having essentially the same average effective particle size as prior to the energy-addition step but the crystals after the energy-addition step are less likely to aggregate.

The lower tendency of the organic compound to aggregate is observed by laser dynamic light scattering and light microscopy.

In the third process category, prior to the energy-addition step the organic compound is in a crystalline form that is friable and has an average effective particle size. What is meant by the term "friable" is that the particles are fragile and are more easily broken down into smaller particles. After the energy-addition step the organic compound is in a crystalline form having an average effective particle size smaller than the crystals of the pre-suspension. By taking the steps necessary to place the organic compound in a crystalline form that is friable, the subsequent energy-addition step can be carried out more quickly and efficiently when compared to an organic compound in a less friable crystalline morphology.

The energy-addition step can be carried out in any fashion wherein the pre-suspension is exposed to cavitation, shearing or impact forces. In one preferred form of the invention, the energy-addition step is an annealing step. Annealing is defined in this invention as the process of converting matter that is thermodynamically unstable into a more stable form by single or repeated application of energy (direct heat or mechanical stress), followed by thermal relaxation. This lowering of energy may be achieved by conversion of the solid form from a less ordered to a more ordered lattice structure. Alternatively, this stabilization may occur by a reordering of the surfactant molecules at the solid-liquid interface.

These three process categories will be discussed separately below. It should be understood, however, that the process conditions such as choice of surfactants or combination of surfactants, amount of surfactant used, temperature of reaction, rate of mixing of solutions, rate of precipitation and the like can be selected to allow for any drug to be processed under any one of the categories discussed next.

The first process category, as well as the second and third process categories, can be further divided into two subcategories, Method A, and B shown diagrammatically in Figures 1 and 2 respectively.

An organic compound for use in the process of this invention is any organic chemical entity whose solubility decreases from one solvent to another. This organic compound might be a pharmaceutically active compound from various groups such as, but not limited to: antihyperlipidemics; antimicrobials, e.g., antibacterials such as sulfadiazine, antifungals such as itraconazole; non-steroidal anti-inflammatory drugs, e.g., indomethacin; antihypercholesteremic agents, e.g., probucol; and steroidal compounds, e.g., dexamethasone; immunosuppressants, e.g., cyclosporin A, tacrolimus, and mycophenolate mofetil. Or the organic compound might be from the group used as adjuvants or excipients in pharmaceutical preparations and cosmetics, such as, but not limited to, preservatives, e.g., propylparaben.

The first solvent according to the present invention is a solvent or mixture of solvents in which the organic compound of interest is relatively soluble and which is miscible with the second solvent. Examples of such solvents include, but are not limited to: polyvinylpyrrolidone, N-methyl-2-pyrrolidinone (also called N-methyl-2-pyrrolidone), 2-pyrrolidone, dimethyl sulfoxide, dimethylacetamide, lactic acid, methanol, ethanol, isopropanol, 3-pentanol, n-propanol, glycerol, butylene glycol (butanediol), ethylene glycol, propylene glycol, mono- and diacylated monoglycerides (such as glyceryl caprylate), dimethyl isosorbide, acetone, dimethylformamide, 1,4-dioxane, polyethylene glycol (for

example, PEG-4, PEG-8, PEG-9, PEG-12, PEG-14, PEG-16, PEG-120, PEG-75, PEG-150, polyethylene glycol esters (examples such as PEG-4 dilaurate, PEG-20 dilaurate, PEG-6 isostearate, PEG-8 palmitostearate, PEG-150 palmitostearate), polyethylene glycol sorbitans (such as PEG-20 sorbitan isostearate), polyethylene glycol monoalkyl ethers (examples such as PEG-3 dimethyl ether, PEG-4 dimethyl ether), polypropylene glycol (PPG), polypropylene alginate, PPG-10 butanediol, PPG-10 methyl glucose ether, PPG-20 methyl glucose ether, PPG-15 stearyl ether, propylene glycol dicaprylate/dicaprate, propylene glycol laurate.

Method A

In Method A (see Figure 1), the organic compound ("drug") is first dissolved in the first solvent to create a first solution. The organic compound can be added from about 0.1% (w/v) to about 50% (w/v) depending on the solubility of the organic compound in the first solvent. Heating of the concentrate from about 30°C to about 100°C may be necessary to ensure total dissolution of the compound in the first solvent.

A second aqueous solution is provided with one or more optional surface modifiers such as an anionic surfactant, a cationic surfactant, a nonionic surfactant or a biological surface active molecule added thereto. Suitable anionic surfactants include but are not limited to potassium laurate, sodium lauryl sulfate, sodium dodecylsulfate, alkyl polyoxyethylene sulfates, sodium alginate, dioctyl sodium sulfosuccinate, phosphatidyl choline, phosphatidyl glycerol, phosphatidyl inosine, phosphatidylserine, phosphatidic acid and their salts, glyceryl esters, sodium carboxymethylcellulose, cholic acid and other bile acids (e.g., cholic acid, deoxycholic acid, glycocholic acid, taurocholic acid, glycodeoxycholic acid) and salts thereof (e.g., sodium deoxycholate, etc.). Suitable cationic surfactants include but are not limited to quaternary ammonium compounds, such as benzalkonium chloride, cetyltrimethylammonium bromide, lauryldimethylbenzylammonium chloride, acyl carnitine hydrochlorides, or alkyl pyridinium halides. As anionic surfactants, phospholipids may be used. Suitable phospholipids include, for example phosphatidylcholine, phosphatidylethanolamine, phosphatidylserine, phosphatidylinositol, phosphatidylglycerol, phosphatidic acid, lysophospholipids, egg or soybean phospholipid or a combination thereof. The phospholipid may be salted or desalted, hydrogenated or partially hydrogenated or natural semisynthetic or synthetic.

Suitable nonionic surfactants include: polyoxyethylene fatty alcohol ethers (Macrogol and Brij), polyoxyethylene sorbitan fatty acid esters (Polysorbates), polyoxyethylene fatty acid esters (Myrj), sorbitan esters (Span), glycerol monostearate, polyethylene glycols,

polypropylene glycols, cetyl alcohol, cetostearyl alcohol, stearyl alcohol, aryl alkyl polyether alcohols, polyoxyethylene-polyoxypropylene copolymers (poloxomers), polaxamines, methylcellulose, hydroxycellulose, hydroxy propylcellulose, hydroxy propylmethylcellulose, noncrystalline cellulose, polysaccharides including starch and starch derivatives such as hydroxyethylstarch (HES), polyvinyl alcohol, and polyvinylpyrrolidone. In a preferred form of the invention the nonionic surfactant is a polyoxyethylene and polyoxypropylene copolymer and preferably a block copolymer of propylene glycol and ethylene glycol. Such polymers are sold under the tradename POLOXAMER also sometimes referred to as PLURONIC®, and sold by several suppliers including Spectrum Chemical and Ruger. Among polyoxyethylene fatty acid esters is included those having short alkyl chains. One example of such a surfactant is SOLUTOL® HS 15, polyethylene-660-hydroxystearate, manufactured by BASF Aktiengesellschaft.

Surface active biological molecules include such molecules as albumin, casein, heparin, hirudin or other appropriate proteins.

It may also be desirable to add a pH adjusting agent to the second solution such as sodium hydroxide, hydrochloric acid, tris buffer or citrate, acetate, lactate, meglumine, or the like. The second solution should have a pH within the range of from about 3 to about 11.

For oral dosage forms one or more of the following excipients may be utilized: gelatin, casein, lecithin (phosphatides), gum acacia, cholesterol, tragacanth, stearic acid, benzalkonium chloride, calcium stearate, glyceryl monostearate, cetostearyl alcohol, cetomacrogol emulsifying wax, sorbitan esters, polyoxyethylene alkyl ethers, e.g., macrogol ethers such as cetomacrogol 1000, polyoxyethylene castor oil derivatives, polyoxyethylene sorbitan fatty acid esters, e.g., the commercially available Tweens™, polyethylene glycols, polyoxyethylene stearates, colloidol silicon dioxide, phosphates, sodium dodecylsulfate, carboxymethylcellulose calcium, carboxymethylcellulose sodium, methylcellulose, hydroxyethylcellulose, hydroxypropylcellulose, hydroxypropylmethylcellulose phthalate, noncrystalline cellulose, magnesium aluminum silicate, triethanolamine, polyvinyl alcohol (PVA), and polyvinylpyrrolidone (PVP). Most of these excipients are described in detail in the Handbook of Pharmaceutical Excipients, published jointly by the American Pharmaceutical Association and The Pharmaceutical Society of Great Britain, the Pharmaceutical Press, 1986. The surface modifiers are commercially available and/or can be prepared by techniques known in the art. Two or more surface modifiers can be used in combination.

In a preferred form of the invention, the method for preparing submicron sized particles of an organic compound includes the steps of adding the first solution to the second solution. The addition rate is dependent on the batch size, and precipitation kinetics for the organic compound. Typically, for a small-scale laboratory process (preparation of 1 liter), the addition rate is from about 0.05 cc per minute to about 10 cc per minute. During the addition, the solutions should be under constant agitation. It has been observed using light microscopy that amorphous particles, semi-crystalline solids, or a supercooled liquid are formed to create a pre-suspension. The method further includes the step of subjecting the pre-suspension to an annealing step to convert the amorphous particles, supercooled liquid or semicrystalline solid to a crystalline more stable solid state. The resulting particles will have an average effective particles size as measured by dynamic light scattering methods (e.g., photocorrelation spectroscopy, laser diffraction, low-angle laser light scattering (LALLS), medium-angle laser light scattering (MALLS), light obscuration methods (Coulter method, for example), rheology, or microscopy (light or electron) within the ranges set forth above).

The energy-addition step involves adding energy through sonication, homogenization, counter current flow homogenization, microfluidization, or other methods of providing impact, shear or cavitation forces. The sample may be cooled or heated during this stage. In one preferred form of the invention the annealing step is effected by a piston gap homogenizer such as the one sold by Avestin Inc. under the product designation EmulsiFlex-C160. In another preferred form of the invention the annealing may be accomplished by ultrasonication using an ultrasonic processor such as the Vibra-Cell Ultrasonic Processor (600W), manufactured by Sonics and Materials, Inc. In yet another preferred form of the invention the annealing may be accomplished by use of an emulsification apparatus as described in U.S. Patent No. 5,720,551 which is incorporated herein by reference and made a part hereof.

Depending upon the rate of annealing, it may be desirable to adjust the temperature of the processed sample to within the range of from approximately -30°C to 30°C . Alternatively, in order to effect a desired phase change in the processed solid, it may also be necessary to heat the pre-suspension to a temperature within the range of from about 30°C to about 100°C during the annealing step.

Method B

Method B differs from Method A in the following respects. The first difference is a surfactant or combination of surfactants is added to the first solution. The surfactants may be selected from the groups of anionic, nonionic and cationic surfactants set forth above.

5 Comparative Example of Method A and Method B and USPN 5,780,062

United States Patent No. 5,780,062 discloses a process for preparing small particles of an organic compound by first dissolving the compound in a suitable water-miscible first solvent. A second solution is prepared by dissolving a polymer and an amphiphile in aqueous solution. The first solution is then added to the second solution to form a precipitate
 10 that consists of the organic compound and a polymer-amphiphile complex. The '062 Patent does not disclose utilizing the energy-addition step of this invention in Methods A and B. Lack of stability is typically evidenced by rapid aggregation and particle growth. In some instances, amorphous particles recrystallize as large crystals. Adding energy to the pre-suspension in the manner disclosed above typically affords particles that show decreased
 15 rates of particle aggregation and growth, as well as the absence of recrystallization upon product storage.

Methods A and B are further distinguished from the process of the '062 patent by the absence of a step of forming a polymer-amphiphile complex prior to precipitation. In Method A, such a complex cannot be formed as no polymer is added to the diluent (aqueous)
 20 phase. In Method B, the surfactant, which may also act as an amphiphile, or polymer, is dissolved with the organic compound in the first solvent. This precludes the formation of any amphiphile-polymer complexes prior to precipitation. In the '062 Patent, successful precipitation of small particles relies upon the formation of an amphiphile-polymer complex prior to precipitation. The '062 Patent discloses the amphiphile-polymer complex forms
 25 aggregates in the aqueous second solution. The '062 Patent explains the hydrophobic organic compound interacts with the amphiphile-polymer complex, thereby reducing solubility of these aggregates and causing precipitation. In the present invention it has been demonstrated that the inclusion of the surfactant or polymer in the first solvent (Method B) leads, upon subsequent addition to second solvent, to formation of a more uniform, finer particulate than
 30 is afforded by the process outlined by the '062 Patent.

To this end, two formulations were prepared and analyzed. Each of the formulations have two solutions, a concentrate and an aqueous diluent, which are mixed together and then

sonicated. The concentrate in each formulation has an organic compound (itraconazole), a water miscible solvent (N-methyl-2-pyrrolidinone or NMP) and possibly a polymer (poloxamer 188). The aqueous diluent has water, a tris buffer and possibly a polymer (poloxamer 188) and/or a surfactant (sodium deoxycholate). The average particle diameter of the organic particle is measured prior to sonication and after sonication.

The first formulation A has as the concentrate itraconazole and NMP. The aqueous diluent includes water, poloxamer 188, tris buffer and sodium deoxycholate. Thus the aqueous diluent includes a polymer (poloxamer 188), and an amphiphile (sodium deoxycholate), which may form a polymer/amphiphile complex, and, therefore, is in accordance with the disclosure of the '062 Patent. (However, again the '062 Patent does not disclose an energy addition step.)

The second formulation B has as the concentrate itraconazole, NMP and poloxamer 188. The aqueous diluent includes water, tris buffer and sodium deoxycholate. This formulation is made in accordance with the present invention. Since the aqueous diluent does not contain a combination of a polymer (poloxamer) and an amphiphile (sodium deoxycholate), a polymer/amphiphile complex cannot form prior to the mixing step.

Table 1 shows the average particle diameters measured by laser diffraction on three replicate suspension preparations. An initial size determination was made, after which the sample was sonicated for 1 minute. The size determination was then repeated. The large size reduction upon sonication of Method A was indicative of particle aggregation.

Table 1:

Method	Concentrate	Aqueous Diluent	Average particle diameter (microns)	After sonication (1 minute)
A	itraconazole (18%),N-methyl-2-pyrrolidinone (6 mL)	poloxamer 188 (2.3%),sodium deoxycholate (0.3%)tris buffer (5 mM, pH 8)water (qs to 94 mL)	18.7 10.7 12.1	2.36 2.46 1.93
B	itraconazole (18%)poloxamer 188 (37%)N-methyl-2-pyrrolidinone (6 mL)	sodium deoxycholate (0.3%)tris buffer (5 mM, pH 8)water (qs to 94 mL)	0.194 0.178 0.181	0.198 0.179 0.177

A drug suspension resulting from application of the processes described in this invention may be administered directly as an injectable solution, provided Water for Injection is used in formulation and an appropriate means for solution sterilization is applied.

Sterilization may be accomplished by separate sterilization of the drug concentrate (drug, solvent, and optional surfactant) and the diluent medium (water, and optional buffers and surfactants) prior to mixing to form the pre-suspension. Sterilization methods would include pre-filtration first through a 3.0 micron filter followed by filtration through a 0.45-micron particle filter, followed by steam or heat sterilization or sterile filtration through two redundant 0.2-micron membrane filters.

Optionally, a solvent-free suspension may be produced by solvent removal after precipitation. This can be accomplished by centrifugation, dialysis, diafiltration, force-field fractionation, high-pressure filtration or other separation techniques well known in the art.

Complete removal of N-methyl-2-pyrrolidinone was typically carried out by one to three successive centrifugation runs; after each centrifugation (18,000 rpm for 30 minutes) the supernatant was decanted and discarded. A fresh volume of the suspension vehicle without the organic solvent was added to the remaining solids and the mixture was dispersed by homogenization. It will be recognized by others skilled in the art that other high-shear mixing techniques could be applied in this reconstitution step.

Furthermore, any undesired excipients such as surfactants may be replaced by a more desirable excipient by use of the separation methods described in the above paragraph. The solvent and first excipient may be discarded with the supernatant after centrifugation or filtration. A fresh volume of the suspension vehicle without the solvent and without the first excipient may then be added. Alternatively, a new surfactant may be added. For example, a suspension consisting of drug, N-methyl-2-pyrrolidinone (solvent), poloxamer 188 (first excipient), sodium deoxycholate, glycerol and water may be replaced with phospholipids (new surfactant), glycerol and water after centrifugation and removal of the supernatant.

I. First Process Category

The methods of the first process category generally include the step of dissolving the organic compound in a water miscible first solvent followed by the step of mixing this solution with an aqueous solution to form a pre-suspension wherein the organic compound is in an amorphous form, a semicrystalline form or in a supercooled liquid form as determined by x-ray diffraction studies, DSC, light microscopy or other analytical techniques and has an average effective particle size within one of the effective particle size ranges set forth above. The mixing step is followed by an energy-addition step and, in a preferred form of the invention an annealing step.

II. Second Process Category

The methods of the second processes category include essentially the same steps as in the steps of the first processes category but differ in the following respect. An x-ray diffraction, DSC or other suitable analytical techniques of the pre-suspension shows the organic compound in a crystalline form and having an average effective particle size. The organic compound after the energy-addition step has essentially the same average effective particle size as prior to the energy-addition step but has less of a tendency to aggregate into larger particles when compared to that of the particles of the pre-suspension. Without being bound to a theory, it is believed the differences in the particle stability may be due to a reordering of the surfactant molecules at the solid-liquid interface.

III. Third Process Category

The methods of the third category modify the first two steps of those of the first and second processes categories to ensure the organic compound in the pre-suspension is in a friable form having an average effective particle size (e.g., such as slender needles and thin plates). Friable particles can be formed by selecting suitable solvents, surfactants or combination of surfactants, the temperature of the individual solutions, the rate of mixing and rate of precipitation and the like. Friability may also be enhanced by the introduction of lattice defects (e.g., cleavage planes) during the steps of mixing the first solution with the aqueous solution. This would arise by rapid crystallization such as that afforded in the precipitation step. In the energy-addition step these friable crystals are converted to crystals that are kinetically stabilized and having an average effective particle size smaller than those of the pre-suspension. Kinetically stabilized means particles have a reduced tendency to aggregate when compared to particles that are not kinetically stabilized. In such instance the energy-addition step results in a breaking up of the friable particles. By ensuring the particles of the pre-suspension are in a friable state, the organic compound can more easily and more quickly be prepared into a particle within the desired size ranges when compared to processing an organic compound where the steps have not been taken to render it in a friable form.

Polymorph Control

The present invention further provides additional steps for controlling the crystal structure of the pharmaceutically-active compound to ultimately produce a suspension of the

compound in the desired size range and a desired crystal structure. What is meant by the term "crystal structure" is the arrangement of the atoms within the unit cell of the crystal. Pharmaceutically-active compounds that can be crystallized into different crystal structures are said to be polymorphic. Identification of polymorphs is important step in drug
5 formulation since different polymorphs of the same drug can show differences in solubility, therapeutic activity, bioavailability, and suspension stability. Accordingly, it is important to control the polymorphic form of the compound for ensuring product purity and batch-to-batch reproducibility.

The steps to control the polymorphic form of the compound includes seeding the first
10 solution, the second solvent or the pre-suspension to ensure the formation of the desired polymorph. Seeding includes using a seed compound or adding energy. In a preferred form of the invention the seed compound is the pharmaceutically-active compound in the desired polymorphic form. Alternatively, the seed compound can also be an inert impurity or an organic compound with a structure similar to that of the desired polymorph such as a bile salt.

15 The seed compound can be precipitated from the first solution. This method includes the steps of adding the pharmaceutically-active compound in sufficient quantity to exceed the solubility of the pharmaceutically-active compound in the first solvent to create a supersaturated solution. The supersaturated solution is treated to precipitate the pharmaceutically-active compound in the desired polymorphic form. Treating the
20 supersaturated solution includes aging the solution for a time period until the formation of a crystal or crystals is observed to create a seeding mixture. It is also possible to add energy to the supersaturated solution to cause the pharmaceutically-active compound to precipitate out of the solution in the desired polymorph. The energy can be added in a variety of ways including the energy addition steps described above. Further energy can be added by heating
25 or exposing the pre-suspension to electromagnetic energy, particle beam or electron beam sources. The electromagnetic energy includes using a laser beam, dynamic electromagnetic energy, or other radiation sources. It is further contemplated utilizing ultrasound, static electric field and a static magnetic field as the energy addition source.

In a preferred form of the invention the method for producing seed crystals from an
30 aged supersaturated solution includes the steps of: (i) adding a quantity of the pharmaceutically-active compound to the first organic solvent to create a supersaturated solution; (ii) aging the supersaturated solution to form detectable crystals to create a seeding mixture; and (iii) mixing the seeding mixture with the second solvent to precipitate the

pharmaceutically-active compound to create a pre-suspension. The pre-suspension can then be further processed as described in detail above to provide an aqueous suspension of the pharmaceutically-active compound in the desired polymorph and in the desired size range.

Seeding can also be accomplished by adding energy to the first solution, the second
5 solvent or the pre-suspension provided that the exposed liquid or liquids contain the pharmaceutically active compound or a seed material. The energy can be added in the same fashion as described above for the supersaturated solution.

Accordingly, the present invention provides a composition of matter of a pharmaceutically active compound in a desired polymorphic form essentially free of the
10 unspecified polymorph or polymorphs. One such example is set forth in example 16 below where seeding during microprecipitation provides a polymorph of itraconazole essentially free of the polymorph of the raw material. It is contemplated the methods of this invention can apply used to selectively produce a desired polymorph for numerous pharmaceutically active compounds.

15 Examples

Examples of Process Category 1

Example 1: Preparation of itraconazole suspension by use of Process Category 1, Method A with homogenization.

To a 3-L flask add 1680 mL of Water for Injection. Heat liquid to 60-65°C, and then
20 slowly add 44 grams of Pluronic F-68 (poloxamer 188), and 12 grams of sodium deoxycholate, stirring after each addition to dissolve the solids. After addition of solids is complete, stir for another 15 minutes at 60-65°C to ensure complete dissolution. Prepare a 50 mM tris (tromethamine) buffer by dissolving 6.06 grams of tris in 800 mL of Water for Injection. Titrate this solution to pH 8.0 with 0.1 M hydrochloric acid. Dilute the resulting
25 solution to 1 liter with additional Water for Injection. Add 200 mL of the tris buffer to the poloxamer/deoxycholate solution. Stir thoroughly to mix solutions.

In a 150-mL beaker add 20 grams of itraconazole and 120 mL of N-methyl-2-pyrrolidinone. Heat mixture to 50-60°C, and stir to dissolve solids. After total dissolution is visually apparent, stir another 15 minutes to ensure complete dissolution. Cool itraconazole-
30 NMP solution to room temperature.

Charge a syringe pump (two 60-mL glass syringes) with the 120-mL of itraconazole solution prepared previously. Meanwhile pour all of the surfactant solution into a

Atty Dkt No: IDD 5657 CIP3

- 19 -

homogenizer hopper which has been cooled to 0-5°C (this may either by accomplished by use of a jacketed hopper through which refrigerant is circulated, or by surrounding the hopper with ice). Position a mechanical stirrer into the surfactant solution so that the blades are fully immersed. Using the syringe pump, slowly (1-3 mL/min) add all of the itraconazole solution to the stirred, cooled surfactant solution. A stirring rate of at least 700 rpm is recommended. An aliquot of the resulting suspension (Suspension A) is analyzed by light microscopy (Hoffman Modulation Contrast) and by laser diffraction (Horiba). Suspension A is observed by light microscopy to consist of roughly spherical amorphous particles (under 1 micron), either bound to each other in aggregates or freely moving by Brownian motion. See Figure 3. Dynamic light scattering measurements typically afford a bimodal distribution pattern signifying the presence of aggregates (10-100 microns in size) and the presence of single amorphous particles ranging 200-700 nm in median particle diameter.

The suspension is immediately homogenized (at 10,000 to 30,000 psi) for 10-30 minutes. At the end of homogenization, the temperature of the suspension in the hopper does not exceed 75°C. The homogenized suspension is collected in 500-mL bottles, which are cooled immediately in the refrigerator (2-8°C). This suspension (Suspension B) is analyzed by light microscopy and is found to consist of small elongated plates with a length of 0.5 to 2 microns and a width in the 0.2-1 micron range. See Figure 4. Dynamic light scattering measurements typically indicate a median diameter of 200-700 nm.

Stability of Suspension A ("Pre-suspension") (Example 1)

During microscopic examination of the aliquot of Suspension A, crystallization of the amorphous solid was directly observed. Suspension A was stored at 2-8°C for 12 hours and examined by light microscopy. Gross visual inspection of the sample revealed severe flocculation, with some of the contents settling to the bottom of the container. Microscopic examination indicated the presence of large, elongated, plate-like crystals over 10 microns in length.

Stability of Suspension B

As opposed to the instability of Suspension A, Suspension B was stable at 2-8°C for the duration of the preliminary stability study (1 month). Microscopy on the aged sample clearly demonstrated that no significant change in the morphology or size of the particles had occurred. This was confirmed by light scattering measurement.

Example 2: Preparation of itraconazole suspension by use of Process Category 1, Method A with ultrasonication.

To a 500-mL stainless steel vessel add 252 mL of Water for Injection. Heat liquid to 5 60-65°C, and then slowly add 6.6 grams of Pluronic F-68 (poloxamer 188), and 0.9 grams of sodium deoxycholate, stirring after each addition to dissolve the solids. After addition of solids is complete, stir for another 15 minutes at 60-65°C to ensure complete dissolution. Prepare a 50 mM tris (tromethamine) buffer by dissolving 6.06 grams of tris in 800 mL of Water for Injection. Titrate this solution to pH 8.0 with 0.1 M hydrochloric acid. Dilute the 10 resulting solution to 1 liter with additional Water for Injection. Add 30 mL of the tris buffer to the poloxamer/deoxycholate solution. Stir thoroughly to mix solutions.

In a 30-mL container add 3 grams of itraconazole and 18 mL of N-methyl-2-pyrrolidinone. Heat mixture to 50-60°C, and stir to dissolve solids. After total dissolution is visually apparent, stir another 15 minutes to ensure complete dissolution. Cool itraconazole- 15 NMP solution to room temperature.

Charge a syringe pump with 18-mL of itraconazole solution prepared in a previous step. Position a mechanical stirrer into the surfactant solution so that the blades are fully immersed. Cool the container to 0-5°C by immersion in an ice bath. Using the syringe pump, slowly (1-3 mL/min) add all of the itraconazole solution to the stirred, cooled 20 surfactant solution. A stirring rate of at least 700 rpm is recommended. Immerse an ultrasonicator horn in the resulting suspension so that the probe is approximately 1 cm above the bottom of the stainless steel vessel. Sonicate (10,000 to 25,000 Hz, at least 400W) for 15 to 20 minute in 5-minute intervals. After the first 5-minute sonication, remove the ice bath and proceed with further sonication. At the end of ultrasonication, the temperature of the 25 suspension in the vessel does not exceed 75°C.

The suspension is collected in a 500-mL Type I glass bottle, which is cooled immediately in the refrigerator (2-8°C). Characteristics of particle morphology of the suspension before and after sonication were very similar to that seen in Method A before and after homogenization (see Example 1).

30 Example 3: Preparation of itraconazole suspension by use of Process Category 1, Method B with homogenization.

Atty Dkt No: IDD 5657 CIP3

- 21 -

Prepare a 50 mM tris (tromethamine) buffer by dissolving 6.06 grams of tris in 800 mL of Water for Injection. Titrate this solution to pH 8.0 with 0.1 M hydrochloric acid. Dilute the resulting solution to 1 liter with additional Water for Injection. To a 3-L flask add 1680 mL of Water for Injection. Add 200 mL of the tris buffer to the 1680 mL of water. Stir
5 thoroughly to mix solutions.

In a 150-mL beaker add 44 grams of Pluronic F-68 (poloxamer 188) and 12 grams of sodium deoxycholate to 120 mL of N-methyl-2-pyrrolidinone. Heat the mixture to 50-60°C, and stir to dissolve solids. After total dissolution is visually apparent, stir another 15 minutes to ensure complete dissolution. To this solution, add 20 grams of itraconazole, and stir until
10 totally dissolved. Cool the itraconazole-surfactant-NMP solution to room temperature.

Charge a syringe pump (two 60-mL glass syringes) with the 120-mL of the concentrated itraconazole solution prepared previously. Meanwhile pour the diluted tris buffer solution prepared above into a homogenizer hopper which has been cooled to 0-5°C (this may either be accomplished by use of a jacketed hopper through which refrigerant is circulated, or by surrounding the hopper with ice). Position a mechanical stirrer into the
15 buffer solution so that the blades are fully immersed. Using the syringe pump, slowly (1-3 mL/min) add all of the itraconazole-surfactant concentrate to the stirred, cooled buffer solution. A stirring rate of at least 700 rpm is recommended. The resulting cooled suspension is immediately homogenized (at 10,000 to 30,000 psi) for 10-30 minutes. At the
20 end of homogenization, the temperature of the suspension in the hopper does not exceed 75°C.

The homogenized suspension is collected in 500-mL bottles, which are cooled immediately in the refrigerator (2-8°C). Characteristics of particle morphology of the suspension before and after homogenization were very similar to that seen in Example 1,
25 except that in process category 1 B, the pre-homogenized material tended to form fewer and smaller aggregates which resulted in a much smaller overall particle size as measured by laser diffraction. After homogenization, dynamic light scattering results were typically identical to those presented in Example 1.

Example 4: Preparation of itraconazole suspension by use of Process Category 1, Method B
30 with ultrasonication.

To a 500-mL flask add 252 mL of Water for Injection. Prepare a 50 mM tris (tromethamine) buffer by dissolving 6.06 grams of tris in 800 mL of Water for Injection.

Titrate this solution to pH 8.0 with 0.1 M hydrochloric acid. Dilute the resulting solution to 1 liter with additional Water for Injection. Add 30 mL of the tris buffer to the water. Stir thoroughly to mix solutions.

In a 30-mL beaker add 6.6 grams of Pluronic F-68 (poloxamer 188) and 0.9 grams of sodium deoxycholate to 18 mL of N-methyl-2-pyrrolidinone. Heat the mixture to 50-60°C, and stir to dissolve solids. After total dissolution is visually apparent, stir another 15 minutes to ensure complete dissolution. To this solution, add 3.0 grams of itraconazole, and stir until totally dissolved. Cool the itraconazole-surfactant-NMP solution to room temperature.

Charge a syringe pump (one 30-mL glass syringe with the 18-mL of the concentrated itraconazole solution prepared previously. Position a mechanical stirrer into the buffer solution so that the blades are fully immersed. Cool the container to 0-5°C by immersion in an ice bath. Using the syringe pump, slowly (1-3 mL/min) add all of the itraconazole-surfactant concentrate to the stirred, cooled buffer solution. A stirring rate of at least 700 rpm is recommended. The resulting cooled suspension is immediately sonicated (10,000 to 25,000 Hz, at least 400 W) for 15-20 minutes, in 5-minute intervals. After the first 5-minute sonication, remove the ice bath and proceed with further sonication. At the end of ultrasonication, the temperature of the suspension in the hopper does not exceed 75°C.

The resultant suspension is collected in a 500-mL bottle, which is cooled immediately in the refrigerator (2-8°C). Characteristics of particle morphology of the suspension before and after sonication were very similar to that seen in Example 1, except that in Process Category 1, Method B, the pre-sonicated material tended to form fewer and smaller aggregates which resulted in a much smaller overall particle size as measured by laser diffraction. After ultrasonication, dynamic light scattering results were typically identical to those presented in Example 1

B. Examples of Process Category 2

Example 5: Preparation of itraconazole suspension (1%) with 0.75% Solutol® HR (PEG-660 12-hydroxystearate) Process Category 2, Method B.

Solutol (2.25 g) and itraconazole (3.0 g) were weighed into a beaker and 36 mL of filtered N-methyl-2-pyrrolidinone (NMP) was added. This mixture was stirred under low heat (up to 40°C) for approximately 15 minutes until the solution ingredients were dissolved. The solution was cooled to room temperature and was filtered through a 0.2-micron filter under vacuum. Two 60-mL syringes were filled with the filtered drug concentrate and were

placed in a syringe pump. The pump was set to deliver approximately 1 mL/min of concentrate to a rapidly stirred (400 rpm) aqueous buffer solution. The buffer solution consisted of 22 g/L of glycerol in 5 mM tris buffer. Throughout concentrate addition, the buffer solution was kept in an ice bath at 2-3°C. At the end of the precipitation, after
5 complete addition of concentrate to the buffer solution, about 100 mL of the suspension was centrifuged for 1 hour, the supernatant was discarded. The precipitate was resuspended in a 20% NMP solution in water, and again centrifuged for 1 hour. The material was dried overnight in a vacuum oven at 25°C. The dried material was transferred to a vial and analyzed by X-ray diffractometry using chromium radiation (see Figure 5).

10 Another 100 mL-aliquot of the microprecipitated suspension was sonicated for 30 minutes at 20,000 Hz, 80% full amplitude (full amplitude = 600 W). The sonicated sample was homogenized in 3 equal aliquots each for 45 minutes (Avestin C5, 2-5°C, 15,000-20,000 psi). The combined fractions were centrifuged for about 3 hours, the supernatant removed, and the precipitate resuspended in 20% NMP. The resuspended mixture was centrifuged
15 again (15,000 rpm at 5°C). The supernatant was decanted off and the precipitate was vacuum dried overnight at 25°C. The precipitate was submitted for analysis by X-ray diffractometry (see Figure 5). As seen in Figure 5, the X-ray diffraction patterns of processed samples, before and after homogenization, are essentially identical, yet show a significantly different pattern as compared with the starting raw material. The unhomogenized suspension is
20 unstable and agglomerates upon storage at room temperature. The stabilization that occurs as a result of homogenization is believed to arise from rearrangement of surfactant on the surface of the particle. This rearrangement should result in a lower propensity for particle aggregation.

C. Examples of Process Category

25 Example 6: Preparation of carbamazepine suspension by use of Process Category 3, Method A with homogenization.

2.08g of carbamazepine was dissolved into 10 mL of NMP. 1.0 mL of this concentrate was subsequently dripped at 0.1 mL/min into 20 mL of a stirred solution of 1.2% lecithin and 2.25% glycerin. The temperature of the lecithin system was held at 2-5°C during
30 the entire addition. The predispersion was next homogenized cold (5-15°C) for 35 minutes at 15,000 psi. The pressure was increased to 23,000 psi and the homogenization was continued

for another 20 minutes. The particles produced by the process had a mean diameter of 0.881 μ m with 99% of the particles being less than 2.44 μ m.

Example 7: Preparation of 1% carbamazepine suspension with 0.125% Solutol[®] by use of Process Category 3, Method B with homogenization.

5 A drug concentrate of 20% carbamazepine and 5% glycodeoxycholic acid (Sigma Chemical Co.) in N-methyl-2-pyrrolidinone was prepared. The microprecipitation step involved adding the drug concentrate to the receiving solution (distilled water) at a rate of 0.1 mL/min. The receiving solution was stirred and maintained at approximately 5°C during precipitation. After precipitation, the final ingredient concentrations were 1% carbamazepine
10 and 0.125% Solutol[®]. The drug crystals were examined under a light microscope using positive phase contrast (400X). The precipitate consisted of fine needles approximately 2 microns in diameter and ranging from 50 – 150 microns in length.

Homogenization (Avestin C-50 piston-gap homogenizer) at approximately 20,000 psi for approximately 15 minutes results in small particles, less than 1 micron in size and largely
15 unaggregated. Laser diffraction analysis (Horiba) of the homogenized material showed that the particles had a mean size of 0.4 micron with 99% of the particles less than 0.8 micron. Low energy sonication, suitable for breaking agglomerated particles, but not with sufficient energy to cause a cominution of individual particles, of the sample before Horiba analysis had no effect on the results (numbers were the same with and without sonication). This result
20 was consistent with the absence of particle agglomeration.

Samples prepared by the above process were centrifuged and the supernatant solutions replaced with a replacement solution consisting of 0.125% Solutol[®]. After centrifugation and supernatant replacement, the suspension ingredient concentrations were 1% carbamazepine and 0.125% Solutol[®]. The samples were re-homogenized by piston-gap
25 homogenizer and stored at 5°C. After 4 weeks storage, the suspension had a mean particle size of 0.751 with 99% less than 1.729. Numbers reported are from Horiba analysis on unsonicated samples.

Example 8: Preparation of 1% carbamazepine suspension with 0.06% sodium glycodeoxycholate and 0.06% poloxamer 188 by use of Process Category 3, Method B with
30 homogenization.

A drug concentrate comprising 20% carbamazepine and 5% glycodeoxycholate in N-methyl-2-pyrrolidinone was prepared. The microprecipitation step involved adding the drug concentrate to the receiving solution (distilled water) at a rate of 0.1 mL/min. Thus, this and the following examples demonstrate that adding a surfactant or other excipient to the aqueous precipitating solution in Methods A and B above is optional. The receiving solution was stirred and maintained at approximately 5°C during precipitation. After precipitation, the final ingredient concentrations were 1% carbamazepine and 0.125% Solutol[®]. The drug crystals were examined under a light microscope using positive phase contrast (400X). The precipitate consisted of fine needles approximately 2 microns in diameter and ranging from 50 – 150 microns in length. Comparison of the precipitate with the raw material before precipitation reveals that the precipitation step in the presence of surface modifier (glycodeoxycholic acid) results in very slender crystals that are much thinner than the starting raw material (see Figure 6).

Homogenization (Avestin C-50 piston-gap homogenizer) at approximately 20,000 psi for approximately 15 minutes results in small particles, less than 1 micron in size and largely unaggregated. See Figure 7. Laser diffraction analysis (Horiba) of the homogenized material showed that the particles had a mean size of 0.4 micron with 99% of the particles less than 0.8 micron. Sonication of the sample before Horiba analysis had no effect on the results (numbers were the same with and without sonication). This result was consistent with the absence of particle agglomeration.

Samples prepared by the above process were centrifuged and the supernatant solutions replaced with a replacement solution consisting of 0.06% glycodeoxycholic acid (Sigma Chemical Co.) and 0.06% Poloxamer 188. The samples were re-homogenized by piston-gap homogenizer and stored at 5°C. After 2 weeks storage, the suspension had a mean particle size of 0.531 micron with 99% less than 1.14 micron. Numbers reported are from Horiba analysis on unsonicated samples.

Mathematical Analysis (Example 8) of force required to break precipitated particles as compared to force required to break particles of the starting raw material (carbamazepine):

The width of the largest crystals seen in the carbamazepine raw material (Figure 6, picture on left) are roughly 10-fold greater than the width of crystals in the microprecipitated material (Figure 6, picture on right). On the assumption that the ratio of crystal thickness (1:10) is proportional to the ratio of crystal width (1:10), then the moment of force required to

cooled to 5°C at an addition rate of 2.5 mL/min while stirring at approximately 400 rpm. The resulting suspension contained slender needle-shaped crystals less than 2µm in width (Figure 9). The concentration contained in the precipitated suspension was 1.6% (w/v) prednisolone, 0.05% sodium deoxycholate, and 3% NMP.

5 The precipitated suspension was pH adjusted to 7.5-8.5 using sodium hydroxide and hydrochloric acid then homogenized (Avestin C-50 piston-gap homogenizer) for 10 passes at 10,000 psi. The NMP was removed by performing 2 successive centrifugation steps replacing the supernatant each time with a fresh surfactant solution, which contained the desired concentrations of surfactants needed to stabilize the suspension (see Table 2). The
10 suspension was homogenized for another 10 passes at 10,000 psi. The final suspension contained particles with a mean particle size of less than 1µm, and 99% of particles less than 2µm. Figure 10 is a photomicrograph of the final prednisolone suspension after homogenization.

A variety of different surfactants at varying concentrations were used in the
15 centrifugation/surfactant replacement step (see Table 2). Table 2 lists combinations of surfactants that were stable with respect to particle size (mean < 1µm, 99% < 2µm), pH (6-8), drug concentration (less than 2% loss) and re-suspendability (resuspended in 60 seconds or less).

20 Notably this process allows for adding the active compound to an aqueous diluent without the presence of a surfactant or other additive. This is a modification of process Method B in Figure 2.

Table 2: List of stable prednisolone suspensions prepared by microprecipitation process of Figure 8 (Example 9)

	Initial		2 Weeks		2 Months						% Loss*
			40°C		5°C		25°C		40°C		
Formulation	Mean	>99%	Mean	>99%	Mean	>99%	Mean	>99%	Mean	>99%	
1.6% prednisolone, 0.6% phospholipids, 0.5% sodium deoxycholate, 5 mM TRIS, 2.2% glycerol **	0.79	1.65	0.84	1.79	0.83	1.86	0.82	1.78	0.82	1.93	<2%
1.6% prednisolone, 0.6% Solutol®, 0.5% sodium deoxycholate, 2.2% glycerol	0.77	1.52	0.79	1.67	0.805	1.763	0.796	1.693	0.81	1.633	<2%
1.6% prednisolone, 0.1% poloxamer 188, 0.5% sodium deoxycholate, 2.2% glycerol	0.64	1.16	0.82	1.78	0.696	1.385	0.758	1.698	0.719	1.473	<2%
1.6% prednisolone, 5% phospholipids, 5 mM TRIS, 2.2% glycerol	0.824	1.77	0.87	1.93	0.88	1.95	0.869	1.778	0.909	1.993	<2%

Atty Dkt No: IDD 5657 CIP3

- 28 -

* Difference in itraconazole concentration between samples stored for 2 months at 5 and 25°C.

** Stable through at least 6 months.

5 Particle sizes (by laser light scattering), in microns:

5°C: 0.80 (mean), 1.7 (99%)

25°C: 0.90 (mean); 2.51 (99%)

40°C: 0.99 (mean); 2.03 (99%)

Difference in itraconazole concentration between samples stored at 5 and 25°C: <2%

10 Example 10: Preparation of prednisolone suspension by use of Process Category 3, Method A with homogenization.

32 g of prednisolone was dissolved into 40 mL of NMP. Gentle heating at 40-50°C was required to effect dissolution. The drug NMP concentrate was subsequently dripped at 2.5 mL/min into 2 liters of a stirred solution that consisted of 0.1.2% lecithin and 2.2% glycerin. No other surface modifiers were added. The surfactant system was buffered at pH = 8.0 with 5 mM tris buffer and the temperature was held at 0° to 5°C during the entire precipitation process. The post-precipitated dispersion was next homogenized cold (5-15°C) for 20 passes at 10,000 psi. Following homogenization, the NMP was removed by centrifuging the suspension, removing the supernatant, and replacing the supernatant with fresh surfactant solution. This post-centrifuged suspension was then rehomogenized cold (5-15°C) for another 20 passes at 10,000 psi. The particles produced by this process had a mean diameter of 0.927µm with 99% of the particles being less than 2.36µm.

Example 11: Preparation of nabumetone suspension by use of Process Category 3, Method B with homogenization.

25 Surfactant (2.2 g of poloxamer 188) was dissolved in 6 mL of N-methyl-2-pyrrolidinone. This solution was stirred at 45°C for 15 minutes, after which 1.0g of nabumetone was added. The drug dissolved rapidly. Diluent was prepared which consisted of 5 mM tris buffer with 2.2% glycerol, and adjusted to pH 8. A 100-mL portion of diluent was cooled in an ice bath. The drug concentrate was slowly added (approximately 0.8 mL/min) to the diluent with vigorous stirring. This crude suspension was homogenized at 15,000 psi for 30 minutes and then at 20,000 psi for 30 minutes (temperature = 5°C). The final nanosuspension was found to be 930 nm in effective mean diameter (analyzed by laser diffraction). 99% of the particles were less than approximately 2.6 microns.

Example 12: Preparation of nabumetone suspension by use of Process Category 3, Method B with homogenization and the use of Solutol[®] HS 15 as the surfactant. Replacement of supernatant liquid with a phospholipid medium.

Nabumetone (0.987 grams) was dissolved in 8 mL of N-methyl-2-pyrrolidinone. To this solution was added 2.2 grams of Solutol[®] HS 15. This mixture was stirred until complete dissolution of the surfactant in the drug concentrate. Diluent was prepared, which consisted of 5 mM tris buffer with 2.2% glycerol, and which was adjusted to pH 8. The diluent was cooled in an ice bath, and the drug concentrate was slowly added (approximately 0.5 mL/min) to the diluent with vigorous stirring. This crude suspension was homogenized for 20 minutes at 15,000 psi, and for 30 minutes at 20,000 psi.

The suspension was centrifuged at 15,000 rpm for 15 minutes and the supernatant was removed and discarded. The remaining solid pellet was resuspended in a diluent consisting of 1.2% phospholipids. This medium was equal in volume to the amount of supernatant removed in the previous step. The resulting suspension was then homogenized at approximately 21,000 psi for 30 minutes. The final suspension was analyzed by laser diffraction and was found to contain particles with a mean diameter of 542 nm, and a 99% cumulative particle distribution sized less than 1 micron.

Example 13: Preparation of 1% itraconazole suspension with poloxamer with particles of a mean diameter of approximately 220 nm.

Itraconazole concentrate was prepared by dissolving 10.02 grams of itraconazole in 60 mL of N-methyl-2-pyrrolidinone. Heating to 70°C was required to dissolve the drug. The solution was then cooled to room temperature. A portion of 50 mM tris(hydroxymethyl)aminomethane buffer (tris buffer) was prepared and was pH adjusted to 8.0 with 5M hydrochloric acid. An aqueous surfactant solution was prepared by combining 22 g/L poloxamer 407, 3.0 g/L egg phosphatides, 22g/L glycerol, and 3.0 g/L sodium cholate dihydrate. 900 mL of the surfactant solution was mixed with 100 mL of the tris buffer to provide 1000 mL of aqueous diluent.

The aqueous diluent was added to the hopper of the homogenizer (APV Gaulin Model 15MR-8TA), which was cooled by using an ice jacket. The solution was rapidly stirred (4700 rpm) and the temperature was monitored. The itraconazole concentrate was slowly added, by use of a syringe pump, at a rate of approximately 2 mL/min. Addition was complete after approximately 30 minute. The resulting suspension was stirred for another 30

minutes while the hopper was still being cooled in an ice jacket, and an aliquot was removed for analysis by light microscopy any dynamic light scattering. The remaining suspension was subsequently homogenized for 15 minutes at 10,000 psi. By the end of the homogenization the temperature had risen to 74°C. The homogenized suspension was collected in a 1-L Type I glass bottle and sealed with a rubber closure. The bottle containing suspension was stored in a refrigerator at 5°C.

A sample of the suspension before homogenization showed the sample to consist of both free particles, clumps of particles, and multilamellar lipid bodies. The free particles could not be clearly visualized due to Brownian motion; however, many of the aggregates appeared to consist of amorphous, non-crystalline material.

The homogenized sample contained free submicron particles having excellent size homogeneity without visible lipid vesicles. Dynamic light scattering showed a monodisperse logarithmic size distribution with a median diameter of approximately 220 nm. The upper 99% cumulative size cutoff was approximately 500 nm. Figure 11 shows a comparison of the size distribution of the prepared nanosuspension with that of a typical parenteral fat emulsion product (10% Intralipid®, Pharmacia).

Example 14: Preparation of 1% itraconazole nanosuspension with hydroxyethylstarch

Preparation of Solution A: Hydroxyethylstarch (1 g, Ajinomoto) was dissolved in 3 mL of N-methyl-2-pyrrolidinone (NMP). This solution was heated in a water bath to 70-80°C for 1 hour. In another container was added 1 g of itraconazole (Wyckoff). Three mL of NMP were added and the mixture heated to 70-80°C to effect dissolution (approximately 30 minutes). Phospholipid (Lipoid S-100) was added to this hot solution. Heating was continued at 70-90°C for 30 minutes until all of the phospholipid was dissolved. The hydroxyethylstarch solution was combined with the itraconazole/ phospholipid solution. This mixture was heated for another 30 minutes at 80-95°C to dissolve the mixture.

Addition of Solution A to Tris Buffer: Ninety-four (94) mL of 50 mM tris(hydroxymethyl)aminomethane buffer was cooled in an ice bath. As the tris solution was being rapidly stirred, the hot Solution A (see above) was slowly added dropwise (less than 2 cc/minute).

After complete addition, the resulting suspension was sonicated (Cole-Parmer Ultrasonic Processor - 20,000 Hz, 80% amplitude setting) while still being cooled in the ice bath. A one-inch solid probe was utilized. Sonication was continued for 5 minutes. The ice

bath was removed, the probe was removed and retuned, and the probe was again immersed in the suspension. The suspension was sonicated again for another 5 minutes without the ice bath. The sonicator probe was once again removed and retuned, and after immersion of the probe the sample was sonicated for another 5 minutes. At this point, the temperature of the suspension had risen to 82°C. The suspension was quickly cooled again in an ice bath and when it was found to be below room temperature it was poured into a Type I glass bottle and sealed. Microscopic visualization of the particles indicated individual particle sizes on the order of one micron or less.

After one year of storage at room temperature, the suspension was reevaluated for particle size and found to have a mean diameter of approximately 300 nm.

Example 15: Prophetic example of Method A using HES

The present invention contemplates preparing a 1% itraconazole nanosuspension with hydroxyethylstarch utilizing Method A by following the steps of Example 14 with the exception the HES would be added to the tris buffer solution instead of to the NMP solution.

The aqueous solution may have to be heated to dissolve the HES.

Example 16: Seeding during Homogenization to Convert a Mixture of Polymorphs to the More Stable Polymorph

Sample preparation. An itraconazole nanosuspension was prepared by a microprecipitation-homogenization method as follows. Itraconazole (3g) and Solutol HR (2.25g) were dissolved in 36mL of N-methyl-2-pyrrolidinone (NMP) with low heat and stirring to form a drug concentrate solution. The solution was cooled to room temperature and filtered through a 0.2µm nylon filter under vacuum to remove undissolved drug or particulate matter. The solution was viewed under polarized light to ensure that no crystalline material was present after filtering. The drug concentrate solution was then added at 1.0 mL/minute to approximately 264 mL of an aqueous buffer solution (22 g/L glycerol in 5 mM tris buffer). The aqueous solution was kept at 2-3°C and was continuously stirred at approximately 400 rpm during the drug concentrate addition. Approximately 100 mL of the resulting suspension was centrifuged and the solids resuspended in a pre-filtered solution of 20% NMP in water. This suspension was re-centrifuged and the solids were transferred to a vacuum oven for overnight drying at 25°C. The resulting solid sample was labeled SMP 2 PRE.

Sample characterization. The sample SMP 2 PRE and a sample of the raw material itraconazole were analyzed using powder x-ray diffractometry. The measurements were performed using a Rigaku MiniFlex+ instrument with copper radiation, a step size of 0.02° 2θ and scan speed of 0.25° 2θ/minute. The resulting powder diffraction patterns are shown in Figure 12. The patterns show that SMP-2-PRE is significantly different from the raw material, suggesting the presence of a different polymorph or a pseudopolymorph.

Differential scanning calorimetry (DSC) traces for the samples are shown in Figures 13a and b. Both samples were heated at 2°/min to 180°C in hermetically sealed aluminum pans.

The trace for the raw material itraconazole (Figure 13a) shows a sharp endotherm at approximately 165°C.

The trace for SMP 2 PRE (Figure 13b) exhibits two endotherms at approximately 159°C and 153°C. This result, in combination with the powder x-ray diffraction patterns, suggests that SMP 2 PRE consists of a mixture of polymorphs, and that the predominant form is a polymorph that is less stable than polymorph present in the raw material.

Further evidence for this conclusion is provided by the DSC trace in Figure 14, which shows that upon heating SMP 2 PRE through the first transition, then cooling and reheating, the less stable polymorph melts and recrystallizes to form the more stable polymorph.

Seeding. A suspension was prepared by combining 0.2g of the solid SMP 2 PRE and 0.2g of raw material itraconazole with distilled water to a final volume of 20 mL (seeded sample). The suspension was stirred until all the solids were wetted. A second suspension was prepared in the same manner but without adding the raw material itraconazole (unseeded sample). Both suspensions were homogenized at approximately 18,000 psi for 30 minutes. Final temperature of the suspensions after homogenization was approximately 30°C. The suspensions were then centrifuged and the solids dried for approximately 16 hours at 30°C.

Figure 15 shows the DSC traces of the seeded and unseeded samples. The heating rate for both samples was 2°/min to 180°C in hermetically sealed aluminum pans. The trace for the unseeded sample shows two endotherms, indicating that a mixture of polymorphs is still present after homogenization. The trace for the seeded sample shows that seeding and homogenization causes the conversion of the solids to the stable polymorph. Therefore, seeding appears to influence the kinetics of the transition from the less stable to the more stable polymorphic form.

Example 17: Seeding during Precipitation to Preferentially Form a Stable Polymorph

Sample preparation. An itraconazole-NMP drug concentrate was prepared by dissolving 1.67g of itraconazole in 10mL of NMP with stirring and gentle heating. The solution was filtered twice using 0.2µm syringe filters. Itraconazole nanosuspensions were then prepared by adding 1.2 mL of the drug concentrate to 20 mL of an aqueous receiving solution at approx. 3°C and stirring at approx. 500 rpm. A seeded nanosuspension was prepared by using a mixture of approx. 0.02g of raw material itraconazole in distilled water as the receiving solution. An unseeded nanosuspension was prepared by using distilled water only as the receiving solution. Both suspensions were centrifuged, the supernatants decanted, and the solids dried in a vacuum oven at 30°C for approximately 16 hours.

Sample characterization. Figure 16 shows a comparison of the DSC traces for the solids from the seeded and unseeded suspensions. The samples were heated at 2°/min to 180°C in hermetically sealed aluminum pans. The dashed line represents the unseeded sample, which shows two endotherms, indicating the presence of a polymorphic mixture.

The solid line represents the seeded sample, which shows only one endotherm near the expected melting temperature of the raw material, indicating that the seed material induced the exclusive formation of the more stable polymorph.

Example 18: Polymorph control by seeding the drug concentrate

Sample preparation. The solubility of itraconazole in NMP at room temperature (approximately 22°C) was experimentally determined to be 0.16 g/mL. A 0.20 g/mL drug concentrate solution was prepared by dissolving 2.0 g of itraconazole and 0.2 g Poloxamer 188 in 10 mL NMP with heat and stirring. This solution was then allowed to cool to room temperature to yield a supersaturated solution. A microprecipitation experiment was immediately performed in which 1.5 mL of the drug concentrate was added to 30 mL of an aqueous solution containing 0.1% deoxycholate, 2.2% glycerol. The aqueous solution was maintained at ~2°C and a stir rate of 350 rpm during the addition step. The resulting pre-suspension was homogenized at ~13,000 psi for approx. 10 minutes at 50°C. The suspension was then centrifuged, the supernatant decanted, and the solid crystals dried in a vacuum oven at 30 °C for 135 hours.

The supersaturated drug concentrate was subsequently aged by storing at room temperature in order to induce crystallization. After 12 days, the drug concentrate was hazy, indicating that crystal formation had occurred. An itraconazole suspension was prepared

from the drug concentrate, in the same manner as in the first experiment, by adding 1.5 mL to 30 mL of an aqueous solution containing 0.1% deoxycholate, 2.2% glycerol. The aqueous solution was maintained at ~5°C and a stir rate of 350 rpm during the addition step. The resulting pre-suspension was homogenized at ~13,000 psi for approx. 10 minutes at 50°C. 5 The suspension was then centrifuged, the supernatant decanted, and the solid crystals dried in a vacuum oven at 30°C for 135 hours.

Sample characterization. X-ray powder diffraction analysis was used to determine the morphology of the dried crystals. The resulting patterns are shown in Figure 17. The crystals from the first experiment (using fresh drug concentrate) were determined to consist 10 of the more stable polymorph. In contrast, the crystals from the second experiment (aged drug concentrate) were predominantly composed of the less stable polymorph, with a small amount of the more stable polymorph also present. Therefore, it is believed that aging induced the formation of crystals of the less stable polymorph in the drug concentrate, which then acted as seed material during the microprecipitation and homogenization steps such that 15 the less stable polymorph was preferentially formed.

While specific embodiments have been illustrated and described, numerous modifications come to mind without departing from the spirit of the invention and the scope of protection is only limited by the scope of the accompanying claims.